Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



1.96 R 31Fs:n

WATER SUPPLY OUTLOOK FOR NEVADA



U. S. DEPARTMENT of AGRICULTURE * SOIL CONSERVATION SERVICE

Collaborating with

NEVADA DEPARTMENT of CONSERVATION and NATURAL RESOURCES DIVISION of WATER RESOURCES

Data included in this report were obtained by the agencies named above in cooperation with Federal, State and private organizations listed inside the back cover of this report.



TO RECIPIENTS OF WATER SUPPLY OUTLOOK REPORTS:

Most of the usable water in western states originates os mountain snowfall. This snowfall accumulates during the winter and spring, several months before the snow melts and appears as streamflow. Since the runoff from precipitation as snow is delayed, estimates of snowmelt runoff can be made well in advance of its occurrence. Streamflow forecasts published in this report are based principally on measurement of the water equivalent of the mountain snowpack.

Forecasts become more accurate as more of the data offecting runoff are measured. All forecasts assume that climatic factors during the remainder of the snow accumulation and melt season will interact with a resultant average effect on runoff. Early season forecasts are therefore subject to a greater change than those made on later dates.

The snow course measurement is obtained by sampling snow depth and water equivalent at surveyed and morked locations in mountoin areas. A total of about ten samples are taken at each location. The average of these are reported os snow depth and water equivalent. These measurements are repeated in the same location near the same dates each year.

Snow surveys are made monthly or semi-monthly from January 1 through June 1 in most states. There are about 1900 snow courses in Western United States and in the Columbia Basin in British Columbia. Networks of automatic snow water equivalent and related data sensing devices, along with radio telemetry are expanding and will provide a continuous record of snow water and other parameters at key lacations.

Detoiled data on snow course and soil moisture measurements are presented in state and local reports. Other data on reservoir storage, summaries of precipitation, current streamflow, and soil moisture conditions at valley elevations are also included. The report for Western United States presents a broad picture of water supply outlook conditions, including selected streamflow forecasts, summary of snow accumulation to date, and storage in larger reservoirs.

Snow survey and soil moisture data for the period of record are published by the Soil Conservation Service by states about every five years. Data for the current year is summarized in a West-wide basic data summary and published about October 1 of each year.

Cover Photo: Cabins near Sacajawea Snow Course in Bridger Mountains, Montana.

PUBLISHED BY SOIL CONSERVATION SERVICE

The Soil Conservation Service publishes reports following the principal snow survey dotes from January 1 through June 1 in cooperation with state water administrators, agricultural experiment stations and others. Copies of the reports for Western United States and all state reports may be obtained from Soil Conservation Service, West Technical Service Center, Room 111, 511 N.W. Proadway, Portland, Oregon 97209.

Copies of state and local reports moy also be obtained from state offices of the Soil Conservation Service in the following states:

STATE	ADDRESS
Alaska	204 E. 5th. Ave., Room 217, Anchorage, Alaska 99501
Arizona	6029 Federal Building, Phoenix, Arizono 85025
Colorado (N. Mex.)	P. O. Box 17107, Denver, Colorado 80217
Idaho	Room 345, 304 N. 8th. St., Boise, Idaho 83702
Montana	P.O. Box 98, Bozeman, Montana 59715
Nevodo	P. O. Box 4850, Reno Nevado 89505
Oregon	1218 S. W. Washington St., Portland, Oregon 97205
Utoh	4012 Federal Bldg., 125 South State St., Solt Lake City, Utah 841 38
Washington	360 U.S. Court House, Spokane, Washington 99201
Wyoming	P. O. Box 2440, Casper, Wyoming 82601

PUBLISHED BY OTHER AGENCIES

Water Supply Outlook reports prepared by other agencies include a report for California by the Water Supply Forecast and Snow Surveys Unit, Colifornia Department of Water Resources, P. O. Box 388, Sacramento, California 95802 --- and for British Columbia by the Department of Lands, Forests and Water Resources, Woter Resources Service, Parliament Building, Victoria, British Columbia

WATER SUPPLY OUTLOOK FOR NEVADA

and
FEDERAL - STATE - PRIVATE COOPERATIVE SNOW SURVEYS

Issued by

KENNETH E. GRANT

ADMINISTRATOR
SOIL CONSERVATION SERVICE
WASHINGTON, D.C.

Released by

CHARLES A. KRALL

STATE CONSERVATIONIST SOIL CONSERVATION SERVICE RENO, NEVADA

In Cooperation with

ELMO J. DE RICCO

DIRECTOR
DEPARTMENT OF CONSERVATION AND
NATURAL RESOURCES
CARSON CITY, NEVADA

Report prepared by

RONALD E. MORELAND, Snow Survey Supervisor

SOIL CONSERVATION SERVICE P. O. BOX 4850 RENO, NEVADA

TABLE OF CONTENTS

WATER SUPPLY OUTLOOK FOR NEVADA I and 2
PROSPECTIVE WATER SUPPLY FOR NEVADA (Map) 3
INDEX OF NEVADA SNOW COURSES (By Basins) 4
SNOW WATER DEPTHS (Map) 5
NEVADA STREAMFLOW FORECASTS
SPECIAL FORECASTS AND SOIL MOISTURE MEASUREMENTS 7 and 8
STORAGE STATUS OF NEVADA RESERVOIRS 9
SNOW COURSE MEASUREMENTS
LIST OF COOPERATORS Inside Back Cover
ALL AVERAGES ARE FOR 1958-72 PERIOD

WATER SUPPLY OUTLOOK FOR NEVADA

NEVADA'S WATER SUPPLY OUTLOOK HAS IMPROVED CONSIDERABLY THIS MONTH.

LARGE AMOUNTS OF SNOWFALL HAVE INCREASED THE SNOWPACK TO NEAR TO ABOVE

AVERAGE IN ALL WATERSHEDS. THE EXCEPTION IS SOUTHERN NEVADA, WHERE THERE

IS ONLY A 30 PERCENT OF AVERAGE SNOWPACK.

STREAMFLOW FORECASTS ARE NEAR AVERAGE IN THE TRUCKEE, CARSON AND WALKER DRAINAGES, AND ABOVE AVERAGE IN THE HUMBOLDT AND SNAKE DRAINAGES. THE VIRGIN RIVER NEAR VIRGIN, UTAH, IS BELOW AVERAGE.

RESERVOIR STORAGE IS EXCELLENT, WITH MAJOR RESERVOIRS CONTAINING 123 PERCENT OF AVERAGE SUPPLIES.

East Slope Sierra Nevada

Recently conducted snow surveys in this area indicate the Tahoe-Truckee watershed has a slightly above average snowpack. Heavy storms in February brought the snowpack up to 114 percent of average for the March 1 readings. Carson River drainages now indicate a near average snowpack of 101 percent. In the Walker River drainage, conditions still are slightly below average, with about 90 percent of average snowpack.

Streamflow forecasts for the coming season are near average on the Carson and Walker Rivers, and slightly above average on the Truckee River. It is now predicted that water users in the Truckee, Walker, and Carson drainages will have a very good irrigation season.

Reservoir storage in the Truckee drainage is excellent, with all reservoirs approaching above average storage. Lake Tahoe contains 115 percent of average storage; Lahontan Reservoir is holding 131 percent of average supplies.

Humboldt and Owyhee Drainages

Snowpack conditions continue to be above average in these drainages. The Santa Rosa mountains along the Lower Humboldt have near 150 percent of average snow, while the Ruby mountains snowpack is about 140 percent of normal for March 1. The Snake River and Owyhee drainages in Nevada have much above average snowpacks.

Reservoir storage remains excellent; Wild Horse contains 52,000 acrefeet, and Rye Patch contains 105,000 acre-feet. Storage is above average but slightly less than last year.

Water users above Rye Patch Reservoir along the Humboldt will have above average water supplies. Below Rye Patch, supplies will also be excellent.

Eastern and Central Nevada

The snowpack in the Ely area ranges from below average to slightly above average. Water supplies will be average to below average in most areas. Early season runoff will be average.

Northern Great Basin

Northeastern Nevada and the Surprise Valley area of California have the largest percentage snowpacks measured for March 1. The snowpack is 160 percent of average.

Water users in these areas will have above average water supplies for this spring and summer.

NOTE: No snow pillow charts are included in this report as the base station and repeater did not operate during the month.



PROSPECTIVE WATER SUPPLY FOR NEVADA 16 15 13 17 18 20 G \mathbf{H} LEGEND MUCH ABOVE AVERAGE WATER SUPPLY ABOVE AVERAGE WATER SUPPLY NEAR AVERAGE WATER SUPPLY BELOW AVERAGE WATER SUPPLY P

INDEX TO NEVADA SNOW COURSES (By Basins)

Refer to the map on the preceeding page for Snow Course locations

		Refe	r to	the	map on	the p	prece	eding	page	for	Snow	Course	locations.				
NUMBER	NAME	5EC.	TWP.	RGE.	ELEV.							NUMBER	NAME	5EC.	TWP.	RGE.	ELEV.
	SNAKE RIVER	BA	SIN										ТАНОЕ				
15H1MA 15H2 15H13A 15H15A 15H2Oa 15H14A 15H18a 15H3A 15H3A	KE RIVER Bear Creek Fox Creek Goat Creek Hummingbird Springs Merritt Mountain Pole Creek Ranger Station Red Point 76 Creek Stap Mountain	31 33 31 6 10 13 15 6 29	46N 46N 46N 45N 46N 46N 47N 44N 44N	58E 58E 60E 60E 54E 59E 61E 58E 58E	7800 6800 8800 8945 7000 8330 7940 7100 7800							00.65TZ 00.55 00.17s tz 91.2 9K6 91.3MSZ 00.4 9K4M5TZ 00.13 00.13 00.1	Echo Peak Echo Summit (Cal.) Fallen Leaf (Cal.) Freel Bench (Cal.) Glenbrook #2 Hagans Meadow (Cal.) Lake Lucille (Cal.) Marlette Lake Richardsons #2 (Cal.) Rubicon #1 (Cal.) Rubicon #2 (Cal.) Tahoe City (Cal.)	35 6 36 36 13 36 28 18 6 6	12N 11N 13N 12N 14N 12N 12N 12N 13N 13N	17E 18E 17E 18E 18E 17E 19E 1BE 17E 17E	7800 7450 6300 7300 6900 8000 8200 8000 6500 8100 7500 6250
0WY 15H4MP	HEE RIVER Big Bend	30	45N	56E	6700						2	20K26 20K27 19L1	Tahoe City Alt. (Cal.) Tahoe City Cross (Cal.) Upper Truckee (Cal.)	7 1 21	15N 15N 12N	17E 16E 18E	6300 6750 6400
16H6a 16H8a 15H5 16H1M 16H2A 16H4 16H5 17G4a 15H9MP	Columbia Basin Fawn Creek Gold Creek Jack Creek, Lower Jack Creek, Upper Jacks Peak Laurel Oraw Louse Canyon (Oreg.) Taylor Canyon	31 2 32 18 9 28 20 27 35	44N 45N 45N 42N 42N 42N 42N 45N 405 39N	53E 52E 56E 53E 53E 53E 53E 44E 53E	6650 7000 6600 6800 7250 8420 6700 6440 6200							20K17M 20K255TZ TRUC 20K14 20K22 20K21	Upper Truckee (Cal.) Ward Creek (Cal.) Ward Creek #2 (Cal.) KEE RIVER Boca #2 (Cal.) Brockway Summit (Cal.) Oonner Park #2 (Cal.)	21 21 28 3 18	15N 15N 18N 17N 17N	16E 16E 17E 16E 16E	7000 6750 5900 7100 6000
	INTERIC	R										20K10 20K7* 20KB*	Oonner Summit (Cal.) Fordyce Lake (Cal.) Furnace Flat (Cal.)	25 34 10	17 N 1 B N 17 N	14E 13E 13E	6900 6500 6700
15J17a 15J12A 15J1MP 15J3 15H7 15J9MP 15J10 15J11 15J4 15J5	American Beauty Corral Canyon Oorsey Basin Ory Creek Fry Canyon Green Mountain Harrison Pass #1 Harrison Pass #2 Lamoille #1 Lamoille #2	32 27 28 5 31 23 9 16 15	31 N 28 N 35 N 34 N 43 N 29 N 28 N 28 N 32 N 32 N	5BE 57E 60E 54E 57E 57E 57E 58E 58E	7800 8500 8100 6500 6700 8000 6600 7400 7100 7200				ris,			20K4M5TPZ 20K3 20K5 9K3 19K2 19K7 20K6 20K19 20K13M 20K2* 20K1*	Independence Camp (Cal.) Independence Creek (Cal.) Independence Lake (Cal.) Little Valley Mt. Rose Mt. Rose Ski Area Sage Hen Creek (Cal.) Squaw Valley #2 (Cal.) Truckee #2 (Cal.) Webber Lake (Cal.) Webber Peak (Cal.)	34 14 9 17 7 30 7 6 22 29 30	19N 19N 18N 16N 17N 17N 18N 15N 17N 19N	15E 15E 15E 19E 19E 19E 16E 16E 14E 14E	7000 6500 8450 6300 9000 9000 6500 7500 6400 7000 8000
15J6M 15J7 15J8P	Lamoille #3 Lamoille #4 Lamoille #5	24 19 31	32N 32N 32N	58E 59E 59E	7700 8000 8700							CARS	ON RIVER				
15J18a 15J16a 15H6MP 15J2 15H8 15H10P 15H11A	Pole Canyon Robinson Lake Roded Flat Ryan Ranch Tremewan Ranch Trout Creek, Lower Trout Creek, Upper	31 23 36 1 9 28 4	35N 33N 43N 34N 39N 37N 36N	61E 59E 53E 59E 55E 61E 61E	9140 9200 6800 5800 5700 6900 8500							9L5 19L4 19K5 19L19a 19L16a 19L06a 19L18A5 19L20a	Blue Lakes (Cal.) Carson Pass, Upper (Cal.) Clear Creek Ebbetts Pass (Cal.) Fish Valley, Upper (Cal.) Poison Flat (Cal.) Wet Meadows Lake (Cal.) Wolf Creek (Cal.)	30 22 6 17 1 25 26 35	9N 10N 14N 8N 7N 8N 9N 8N	19E 18E 19E 20E 22E 21E 19E 20E	8000 8600 7300 8700 8050 7900 8100 8000
	ER HUMBOLDT RIVER	10	1.71	425	6600												
17K1 17K2 17K3 17H2 17H1 17L1 17L2 17H2 17H4 17H5 17H3 16H3AP 16H7	Big Creek Camp Ground Big Creek Mine Big Creek, Upper Buckskin, Lower Buckskin, Lower Corral, Lower Corral, Lower Golconda #2 Granite Peak Lamance Creek Martin Creek Midas Toe Jam a	10 23 26 25 11 12 20 22 22 13 18 18	17N 17N 17N 45N 45N 11N 11N 35N 44N 42N 44N 39N 40N	43E 43E 43E 39E 39E 40E 41E 39E 39E 38E 40E 46E 50E	6600 7600 7800 6700 8200 7500 8000 6000 7800 6700 7200 7700						1	WALK 9L11 9L10 9L12A 9L8 9L17a 9L17M 9M1* 9L13 9L22M5Z	ER RIVER Buckeye Forks (Cal.) Buckeye Roughs (Cal.) Center Mountain (Cal.) Leavitt Meadows (Cal.) Lobdell Lake (Cal.) 50nora Pass (Cal.) Tioga Pass (Cal.) Virginia Lakes (Cal.) Virginia Lakes Ridge Willow Flat (Cal.)	20 15 4 4 20 1 30 5 32 21	4N 4N 3N 5N 7N 5N 1 N 2N 3N 5N	23E 23E 23E 22E 24E 21E 25E 25E 25E 23E	8500 7900 9400 7200 9200 8800 9900 9500 9200 8250
	TERN NEVADA												COLORAD	0			
14L1 14L2 14L3 14K2 14K1 15J13 15J14 15J15 14K8 14K3 15K1 14K7 14K5	8aker #1 8aker #2 Baker #2 Baker #3 8erry Creek Bird Creek Cave Creek Hager Canvon Hoie-In-Mountain Kalamazoo Creek Murray Summit Robinson Summit Silver Creek #2 Ward Mountain #2	29 30 25 26 34 25 34 6 34 25 34 25	13N 13N 13N 17N 19N 27N 35N 20N 16N 18N 15N	69E 69E 68E 65E 65E 57E 61E 65E 62E 61E 69E 62E	7950 8950 9250 9100 7500 7500 7500 8000 7900 7400 7250 7600 8000 8900						1	LOWE 5N5 5N3 5N8 4M1 4M2 5N7 5L1	R COLORADO RIVER Kyle Canyon Lee Canyon #2 Lee Canyon #3 Mathew Canyon Pine Canyon Rainbow Canyon #2 White River #1	27 9 10 10 23 6 31	195 195 195 65 65 205 13N	56E 56E 56E 70E 69E 57E 59E	8200 9200 8500 6000 6200 8100 7400
CEN	TRAL GREAT BASIN																
18M2 18M5a 15N2 18M1 18M3a 18M4a 15N1	Campito Mountain (Cal.) Chiatovich Flat Clark Canyon Montgomery Pass Pinchot Creek Plute Pass (Cal.) Trough Springs	19 32 8 4 28 33 23	55 25 195 1N 1N 45 185	35E 34E 56E 33E 33E 33E 55E	10200 10500 9000 7100 9300 11700 8500								LEGEND				
NOR	THERN GREAT BASIN												NUMBERING SYSTEM (EX	AMPLE)			
19H1 20H5 20H6 18G6a 18H1 20H3a 20H7 19H3 19H2 19H4a 20H9 17G5a 17H6a 20H4	Bald Mountain 8arber Creek (Cal.) Cedar Pass (Cal.) Oenio Creek (Oreg.) Oisaster Peak Dismal Swammp (Cal.) Eagle Peak (Cal.) 49-Mountain Hays Canyon Little Bally Mountain Mt. Bidwell Oregon Canyon (Oreg.) Quinn Ridge Reservation Creek (Cal.) Trout Creek (Cal.)	17 23 12 14 8 31 35 7 1 8 6 9 9	45N 39N 41S 47N 48N 40N 42N 39N 45N 47N 405 47N 46N 415	21E 16E 14E 34E 17E 15E 19E 16E 40E 41E 15E 3BE	6720 6500 7100 6000 6500 7000 7200 6400 6400 7200 7240 6300 5900 7800							9K45 Sn 9K4M Sn 9K4P Sn 9K4P Sn 9K4M Sn 9K4MP Sn 9K4STZ Sn Te ower case nly a Soil ation Gage	ow Tourse Only Townse and Snow Pillow Townse and Soil Moistur Town Course and Aerial Marke Town Course and Storage Prec Town Course, Soil Moisture a Town Course, Soil Moisture a Town Course, Snow Pillow and Temperature Temperature Temperature Temperature Temperature Temperature Temperature Temperature Temperature Temperature	r ipitati id Aeri id Pred Temper indicat Marker,	ial Mai ripita rature se no s	rker tion Ga Radio snow co age Pre	urse,

19K4 19K45 19K4M 19K4A 19K4P 19K4MA 19K4MP 19K45TZ	Snow Yourse Only Snow Course and Snow Pillow Snow Course and Soil Moisture Snow Course and Aerial Marker Snow Course and Aeriage Precipitation Gage Snow Course, Soil Moisture and Aerial Marker Snow Course, Soil Moisture and Precipitation Gage Snow Course, Soil Moisture and Precipitation Gage Snow Course, Snow Pillow and Pemperature Radio
19K451Z	Snow Course, Snow Pillow and Temperature Radio Telemetered.

^{*}Located on adjacent watershed

SNOW WATER DEPTHS 17 20 19 ntr: Gre Jacin SNOW WATER DEPTHS As percent of 1958-72 15 year average LEGEND Less than 80 percent of average Within 20 percent of average More than 20 percent above average USGS Notional Atlas (1,000,000 Albers Equal-Area projection (1967) used as source for base map and adapted for SCS use.

Farecasts are based an snow-water presently stared in the mauntain watersheds and the assumption that precipitation will be near average throughout the farecast period. Peak flow forecasts indicate the most probable range for the maximum average 24-hour flow. All averages are far 1958-72 period.

FORECAST POINT	Forecast Period	Forecast This Year	This Year as Percent of Average	Average +
TRUCKEE RIVER				
Little Truckee River above Boca, CA 1	April-July	95	107	89
Truckee River at Farad, CA 1,2	April-July	280	105	267
Lake Tahoe Rise in Feet (assuming gates closed)	March-High	1.68	97	1.74
	April-High	1.40	96	1.46
CARSON RIVER			*	
East Carson near Gardnerville, NV	March-July	191	97	198
	April-July	175	96	182
West Carson at Woodfords, CA	March-July	54	96	56
	April-July	50	96	52
Carson River near Carson City, NV	March-July April-July	199 176	99	201 178
Carson River near Fort Churchill, NV	March-July	177	98	181
	April-July	155	98	159
WALKER RIVER	April oury	100	30	103
East Walker near Bridgeport, CA	March-Aug.	73	97	75
	April-Aug.	66	98	68
West Walker below Little Walker near	March-July	150	99	151
Coleville, CA	April-July	144	99	145
COLORADO RIVER				
Virgin River at Virgin, UT	April-June	41	85	48
HUMBOLDT RIVER				
Lamoille Creek near Lamoille, NV	March-July	32	110	29
	April-July	31	111	28
South Fork Humboldt near Elko, NV	March-July	90	127	71
	April-July	85	129	66
Marys River above Hot Springs, NV	March-July	44	116	38
	April-July	40	118	34
North Fork Humboldt at Devils Gate, NV	March-July	52	130	40
	April-July	44	137	32

STREAMFLOW FORECASTS (Thousand Acre Feet) as of:				
FORECAST POINT	Forecast Period	Forecast This Year	This Year as Percent of Average	Average +
HUMBOLDT RIVER (continued)			. :	
Humboldt River at Palisade, NV	March-July April-July	235 210	108 109	218 193
Humboldt River at Comus, NV	March-July April-July	180 158	105 106	171 149
Martin Creek near Paradise, NV	March-July April-July	21 18	111 112	19 16
SNAKE RIVER				
Owyhee River near Owyhee, NV	March-July April-July	103 90	127 132	81 68
Owyhee River near Gold Creek, NV 1	March-July April-July	30 25	130 139	23 18
Salmon Falls Creek near San Jacinto, NV	March-July March-Sept.	86 90	107 107	80 84
SURPRISE VALLEY				
Bidwell Creek near Fort Bidwell, CA	April-July	15.0	130	11.5
Mill Creek near Cedarville, CA	April-July	6.5	138 -	4.7
Deep Creek near Cedarville, CA	April-July	6.0	182	3.3
Eagle Creek near Eagleville, CA	April-July	6.5	151	4.3
			,	
			110	

^{1 2}

Corrected for storage Forecast issued by Truckee Basin Water Committee

FOREGAST POINT	PEAK FLOW (SECOND FEET)				
FORECAST POINT	Forecast Range	Average +			
Little Truckee River - Inflow to Stampede Reservoir	900-1100	910			
East Fork Carson River near Gardnerville,NV Carson River near Carson City, NV Carson River near Fort Churchill, NV West Walker River below Little Walker near Coleville, CA	1550-1900 1800-2200 1475-1800 1375-1675	1728 1901 1730 1532			

FORECAST DATE of LOW FLOW VALUES

FORECAST POINT	Low Flow Value Second/Ft.	Forecast Date Stream Will Recede to Low Flow Value	Average Date of Low Flow Value
East Carson River near Gardnerville, NV	200	7/19	7/20

SOIL MOISTURE MEASUREMENTS

	Profile	(Inches)	Soi	Moisture (Inch	es)
STATION	Depth	Capacity	Date	This Year	Average †
OWYHEE-HUMBOLDT BASIN					;
Bear Creek Big Bend Rodeo Flat Taylor Canyon	72 48 42 48	16.9 16.7 11.0 15.1	2/25/75 NS NS NS	9.3	11.5* 15.0* 9.0* 12.5*
TAHOE-TRUCKEE BASIN					
Independence Camp Marlette Lake	34 50	6.1 3.7	2/24/75 2/24/75	2.8	4.5* 2.8*
WALKER BASIN					
Sonora Pass Virginia Lakes Ridge	48 40	8.3 5.0			7.3* 2.3*
NS No survey * Adjusted average	`				

RESERVOIR STORAGE (Thousand Acre Feet) as of March 1, 1975

		Usable		Usable Storage	
Basin or Stream	RESERVOIR	Capacity	This Year	Last Year	Average +
Owyhee	Wild Horse	72	52	53	18
Lower Humboldt	Rye Patch	157	105	124	95
Colorado	Mohave	1,810	1,657	1,627	1,689
Colorado	Mead	27,217	19,928	19,888	17,224
Tahoe	Tahoe	732	513	606	443
Truckee	Boca	41	25 -	32	11
Truckee	Stampede	220	168	193	**
Truckee	Prosser ***	30	9	7	8 *
Carson	Lahontan	291	268	264	204
West Walker	Topaz	59	40	55	40
East Walker	Bridgeport	42	37	40	31
*** Flood control	age August 1, 1969. use allocation of and Ap				

feet between November 1 and April 10.

TOTAL RESERVOIR STORAGE (Thousand Acre Feet)

монтн	This Year	Last Year	Average +
October 1	961	820	718
January 1	900	1,015	714
February 1	936	1,147	782
March 1	1,040	1,103	843
April 1	1 . 5 2	1,250	912
May 1		1,247	937
		,	

+ 1958-1972 period.


The above data developed from Wild Horse, Rye Patch, Tahoe, Boca, Lahontan, Topaz, and Bridgeport Reservoirs in 1,000 Acre-Feet.

SNOW COURSE MEASUREMENTS	THIS YEAR			PAST RECORD		
DRAINAGE BASIN and/or SNOW COURSE NAME Elevation	Date of Survey	Snow Depth (Inches)	Water Content (Inches)	Water Conte	Average †	
WAIL LIEVALIA]	2200 , 500	7,10,000	
Echo Summit (CA) Freel Bench (CA) Glenbrook #2 Hagans Meadow Heavenly Valley Lake Lucille (CA) Marlette Lake Richardsons #2 (CA) Rubicon #1 (CA) Rubicon #2 (CA) Tahoe City (CA) Tahoe City Cross (CA) Upper Truckee (CA) Ward Creek #2 (CA) Ward Creek #3 (CA)	2/28/75 2/23/75 2/23/75 2/23/75 2/23/75 2/24/75 2/25/75 2/27/75 NS NS 2/27/75 2/23/75 2/23/75 2/24/75 2/24/75	84 40 42 63 84 135 68 50 129 83	29.0 13.1 13.0 19.5 28.0 47.0 23.3 17.2 44.8 29.3	28.1 9.5 7.8 13.4 29.3 53.3 18.1 13.9 44.4 25.9 9.3 15.4 7.2 36.6 31.9	29.6 12.1* 10.6 16.1 - 18.6 15.6 40.0 24.8 10.8* -	
TRUCKEE RIVER Boca #2 (CA) Brockway Summit (CA) Donner Park #2 (CA) Donner Summit (CA) Fordyce Lake (CA) Furnace Flat (CA) Independence Camp (CA) Independence Creek (CA) Independence Lake (CA) Little Valley Mount Rose Mount Rose Ski Area Sage Hen Creek (CA) Squaw Valley #2 (CA) Truckee #2 (CA) CARSON RIVER	3/2/75 2/26/75 3/2/75 2/26/75 2/25/75 2/25/75 2/24/75 2/24/75 2/24/75 2/24/75 2/24/75 2/24/75 2/24/75 2/24/75	19 55 45 104 107 127 65 48 106 27 94 104 55	7.2 18.7 15.7 39.4 42.1 49.6 22.3 15.3 37.6 9.4 34.1 37.3 18.5	2.0 12.7 10.3 33.1 33.7 44.6 18.8 9.9 37.0 5.3 -42.4 11.8 39.2 11.3	6.2 17.5* 15.8* 32.5 31.5* 36.1* 19.6 12.2* 35.6 8.5	
Carson Pass, Upper (CA) Clear Creek Ebbetts Pass (CA) Ebbetts Pass #2 (CA) Fish Valley, Upper (CA) Poison Flat Wet Meadows Lake (CA) Wet Meadows #2 (CA) Wolf Creek (CA)	2/24/75 2/28/75 2/23/75 2/23/75 2/23/75 2/23/75 2/23/75 2/23/75 2/23/75	43 84 103 47 51 69 93	29.3 14.6 28.6a. 36.5 13.6a. 15.6 23.5a. 32.4 23.0a.	26.5 12.0 35.7 - 13.9 17.1 25.2 36.3 30.0	31.1 11.9 26.6* - 13.1* 13.9* 23.0* - 27.2*	

SNOW COURSE MEASUREMENTS		THIS YEAR PAST			PAST R	ECORD
ORAINAGE BASIN and/or SNOW COURSE		Date of Survey	Snow Depth (Inches)	Water Content (Inches)	Water Content (inches)	
NAME EI	evation	or survey	(mcnes)	(inches)	Last Year	Average †
WALKER RIVER Buckeye Forks (CA) Buckeye Roughs (CA) Center Mountain (CA) Leavitt Meadow (CA) Lobdell Lake (CA) Sonora Pass (CA) Virginia Lakes (CA) Virginia Lakes Ridge (CA) Willow Flat (CA)		2/25/75 2/25/75 2/26/75 2/23/75 2/23/75 2/23/75 2/23/75 2/23/75 2/23/75	66 54 91 30 48 75 33 48 37	20.9 17.3 28.9 9.3 13.9a 24.6 9.6 13.8 10.1	16.3 14.5 32.3 - 16.0 26.0 15.8 17.6 10.4	- 33.9 - 14.4* 21.5 15.5
NORTHERN GREAT BASIN Bald Mountain Barber Creek (CA) Cedar Pass (CA) Denio Creek (OR) Disaster Peak Dismal Swamp (CA) 49 Mountain Hays Canyon Little Bally Mountain Oregon Canyon (OR) Quinn Ridge Reservation Creek (CA) Trout Creek (OR)		3/3/75 2/28/75 2/25/75 2/22/75 2/24/75 2/25/75 2/27/75 2/28/75 2/25/75 2/22/75 2/22/75 3/3/75 2/22/75	14 53 58 4 56 60 18 22 18 14 21 48 36	3.8 19.0 19.9 1.3a 18.0 20.4a 4.7 7.9 5.8a 4.5a 6.7 16.5 11.5a	2.5 12.2 15.0 14.1 3.1 4.5 12.1	3.4 10.0 13.1 0.5* 13.4 14.1 3.7 3.2 2.3* 4.8* 1.8* 9.4 6.4*
SNAKE RIVER Bear Creek Fox Creek Goat Creek Hummingbird Springs Merritt Mountain Pole Creek Ranger Station Red Point 76 Creek Stag Mountain		2/25/75 2/25/75 2/25/75 2/25/75 2/25/75 2/25/75 2/25/75 2/25/75 2/25/75	73 49 53 65 30 65 23 48 24	24.3 14.6 16.4 20.0 9.3a 21.4 6.5 15.4 7.0a	17.8 11.0 16.7 21.0 7.0 19.7 10.7 14.8 7.0	17.3 9.0 16.0 19.4 5.8 16.8 9.1 10.0 5.0*
OWYHEE RIVER Big Bend Columbia Basin Fawn Creek Gold Creek Jack Creek, Upper Laurel Draw Louse Canyon (OR) Taylor Canyon		3/5/75 2/25/75 2/25/75 3/5/75 2/25/75 2/25/75 2/22/75 3/5/75	35 32 24 24 31 40 36 26	11.4 10.9a 7.0a 7.2 9.3a 11.7 11.5a 8.3	11.4 14.4 6.3 7.5 7.4 10.5 - 6.7	7.6 8.1* 4.4* 4.9 7.7 6.4 2.8* 4.1

DW COURSE MEASUREMENTS	THIS YEAR		PAST RECORD		
DRAINAGE BASIN and/or SNOW COURSE NAME Flevation	Date of Survey	Snow Depth (Inches)	Water Content (Inches)	Water Conte	
NAME Elevation				Last Year	Average *
UPPER HUMBOLDT RIVER					
American Beauty Corral Canyon Dorsey Basin Dry Creek Fry Canyon Green Mountain Harrison Pass #1 Harrison Pass #2 Lamoille #1 Lamoille #2 Lamoille #3 Lamoille #4 Lamoille #5 Pole Canyon Robinson Lake Rodeo Flat Ryan Ranch Tent Mountain, Upper Tremewan Ranch Trout Creek, Lower Trout Creek, Upper	2/25/75 3/3/75 3/5/75 3/5/75 3/5/75 NS 3/3/75 3/3/75	32 54 46 15 30 23 28	9.9a 19.0 16.7 5.7 10.2 7.8 8.3	13.6 7.3 9.8 15.5 6.0 9.5 9.8 13.1 18.4 25.1 - 37.2 6.5 0.0 21.0 2.0 6.4	8.3* 12.9 10.3 2.6 6.3 11.2 3.7* 5.4* 8.2 7.6 9.9 14.7 22.0 6.9* 22.1* 4.9 0.9* - 1.2 3.1 16.1
	3/3/75 NS 3/3/75 3/3/75 3/3/75 NS 2/25/75	37 42 56 69	11.3 14.6 19.8 25.0		
	3/5/75 3/5/75 2/25/75 2/26/75 NS 2/25/75	27 0 72 7	9.1 0 23.0a 2.3		
LOWER HUMBOLDT RIVER Big Creek Camp Ground Big Creek, Upper Buckskin, Lower Buckskin, Upper Corral, Lower Corral, Upper Golconda #2 Granite Peak Lamance Creek Martin Creek Midas Toe Jam	2/28/75 2/28/75 2/28/75 2/24/75 2/24/75 NS NS 2/25/75 2/25/75 2/25/75 2/25/75 2/25/75 2/25/75	6 30 34 39 43 32 39 45 41 10 39	2.6 9.6 10.6 11.6 15.9 9.9 12.5 14.5 12.8 3.3a 12.5a	0.5 6.7 6.5 9.6 9.6 - 5.2 11.8 11.7 9.0 3.2 9.9	1.1 4.0 5.1 7.4 8.7 1.4* 4.5* 3.9 13.2 9.4 8.9 3.3 7.9*

SHOW COURSE MEASUREMENTS	THIS YEAR PAST			RECORD	
DRAINAGE BASIN and/or SNOW COURSE NAME	Date of Survey	Snow Depth (inches)	Water Content (inches)	Last Year	Average +
EASTERN NEVADA Baker #1 Baker #2 Baker #3 Berry Creek Bird Creek Kalamazoo Creek Mount Defiance Murray Summit Robinson Summit Silver Creek #2 Ward Mountain #2 White River #1 Hole-in-Mountain	Data de " " 2/27/75 2/26/75 2/26/75 2/27/75 2/25/75 Data de	54 11 13 6 18 13	16.2a 2.1 2.6 2.0a 4.5a 2.9	- 10.7 - - 18.9 3.6 2.9 9.0 6.7 - 24.3	5.7 11.9 13.0 11.5 3.5 6.1 - 2.8 1.9 4.7 8.2 2.5* 19.3
CENTRAL GREAT BASIN Campito Mountain (CA) Chiatovich Flat Clark Canyon Montgomery Pass Pinchot Creek Piute Pass (CA) Trough Springs	2/28/75 NS 2/26/75 2/26/75 NS NS 2/26/75	15 0	0 4.2 0	2.8 - 6.8 0.8 - - 5.8	4.9* 3.2* 7.3 1.3* 0.9* 4.7* 5.0*
LOWER COLORADO RIVER Kyle Canyon Lee Canyon #2 Lee Canyon #3 Mathew Canyon Rainbow Canyon #2 Pine Canyon	2/27/75 2/27/75 2/27/75 2/28/75 2/27/75 2/28/75	18 10 1 18	2.3 4.6 2.6 0.3 4.9 3.1	8.4 8.3 6.6 0.4 11.8 3.2	9.6 9.0 7.5* 4.4 13.1* 6.3*
NS No survey		period is Apri	based on 1958–7. l 1 through July , eer; water content	31 unless other	vise noted.



Agencies Cooperating in Collecting Data Contained in this Bulletin

FEDERAL

Agricultural Research Service
Bureau of Reclamation
Fish and Wildlife Service
Forest Service
Geological Survey
Novy
Soil Conservation Service
U. S. District Court - Federal Water Moster
NOAA, National Weather Service

STATE

Colifornio Cooperative Snow Surveys
Colifornio Department of Parks and Recreation
Colifornia Department of Water Resources
Colorado River Commission of Nevado
Idoho Cooperative Snow Surveys
Nevado Association of Conservation Districts
Nevado Department of Conservation & Natural Resources
Division of Water Resources
Nevado State Forester
Oregon Cooperative Snow Surveys
Utah Cooperative Snow Surveys
White Mountain Research Station, Univ. of California

PRIVATE

Amolgomoted Sugar Compony
Kennecott Copper Corporotion
Nevodo Irrigotion District
Owyhee Project North Board of Control
Owyhee Project South Board of Control
Pocific Gas ond Electric Compony
Pershing County Water Conservation District
Sierro Pocific Power Compony
Truckee-Corson Irrigotion District
Wolker River Irrigotion District
Woshoe County Woter Conservancy District

Other organizations and individuals furnish valuable information for the snow survey reports. Their Cooperation is gratefully acknowledged.

UNITED STATES DEPARTMENT OF AGRICULTURE SOIL CONSERVATION SERVICE

RENO, NEVADA 89505 P.O. Box 4850

OFFICIAL BUSINESS PENALTY FOR PRIVATE USE, \$300

POSTAGE AND FEES PAID
U. S. DEPARTMENT OF
AGRICULTURE
AGR-101



FRST CLASS MAIL

FEDERAL - STATE - PRIVATE

COOPERATIVE SNOW SURVEYS

domestic and municipal water water supply for irrigation, supply, hydro-electric power necessary for forecasting generation, navigation, Furnishes the basic data mining and industry "The Conservation of Water begins with the Snow Survey"